



# Product Change Notification

## 112889 - 00

**INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT.**

**A "Mission Critical Application" is any application in which failure of the Intel Product could result, directly or indirectly, in personal injury or death. SHOULD YOU PURCHASE OR USE INTEL'S PRODUCTS FOR ANY SUCH MISSION CRITICAL APPLICATION, YOU SHALL INDEMNIFY AND HOLD INTEL AND ITS SUBSIDIARIES, SUBCONTRACTORS AND AFFILIATES, AND THE DIRECTORS, OFFICERS, AND EMPLOYEES OF EACH, HARMLESS AGAINST ALL CLAIMS COSTS, DAMAGES, AND EXPENSES AND REASONABLE ATTORNEYS' FEES ARISING OUT OF, DIRECTLY OR INDIRECTLY, ANY CLAIM OF PRODUCT LIABILITY, PERSONAL INJURY, OR DEATH ARISING IN ANY WAY OUT OF SUCH MISSION CRITICAL APPLICATION, WHETHER OR NOT INTEL OR ITS SUBCONTRACTOR WAS NEGLIGENT IN THE DESIGN, MANUFACTURE, OR WARNING OF THE INTEL PRODUCT OR ANY OF ITS PARTS.**

**Intel may make changes to specifications and product descriptions at any time, without notice. Designers must not rely on the absence or characteristics of any features or instructions marked "reserved" or "undefined". Intel reserves these for future definition and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to them. The information here is subject to change without notice. Do not finalize a design with this information.**

**The products described in this document may contain design defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.**

**Should you have any issues with the timeline or content of this change, please contact the Intel Representative(s) for your geographic location listed below. No response from customers will be deemed as acceptance of the change and the change will be implemented pursuant to the key milestones set forth in this attached PCN.**

**Americas Contact:** [asmo.pcn@intel.com](mailto:asmo.pcn@intel.com)

**Asia Pacific/PRC Contact:** [apacgccb@intel.com](mailto:apacgccb@intel.com)

**Europe Email:** [eccb@intel.com](mailto:eccb@intel.com)

**Japan Email:** [jccb.ijkk@intel.com](mailto:jccb.ijkk@intel.com)

**Copyright © Intel Corporation 2014. Other names and brands may be claimed as the property of others.**

**BunnyPeople, Celeron, Celeron Inside, Centrino, Centrino Inside, Cilk, Core Inside, i960, Intel, the Intel logo, Intel AppUp, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Insider, the Intel Inside logo, Intel NetBurst, Intel NetMerge, Intel NetStructure, Intel SingleDriver, Intel SpeedStep, Intel Sponsors of Tomorrow, the Intel Sponsors of Tomorrow logo, Intel StrataFlash, Intel vPro, Intel XScale, InTru, the InTru logo, the InTru Inside logo, InTru soundmark, Itanium, Itanium Inside, MCS, MMX, Moblin, Pentium, Pentium Inside, Puma, skool, the skool logo, Sound Mark, The Creators Project, The Journey Inside, Thunderbolt, vPro Inside, VTune, Xeon, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries.**

**Learn how to use Intel Trademarks and Brands correctly at <http://www.intel.com/intel/legal/tmusage2.htm>.**



# Product Change Notification

**Change Notification #:** 112889 - 00  
**Change Title:** Intel® True Scale Fabric Edge Switch Management Module 12200MM01

**PCN 112889-00, Product Design, Documentation, Label, Product Marking**

**Product Brand Update 12200MM01 Product Marking, Labeling, Documentation and Firmware to change the brand from QLogic\* to Intel**

**Date of Publication:** March 18, 2014

## Key Characteristics of the Change:

Product Design, Documentation, Label, Product Marking

## Forecasted Key Milestones:

<b>Date of Samples Availability:</b>	Mar 13, 2014
<b>Date Customer Must be Ready to Receive Post-Conversion Material:</b>	Mar 20, 2014
<b>Date of First Availability of Post-Conversion Material:</b>	Mar 20, 2014

*The date of "First Availability of Post-Conversion Material" is the projected date that a customer may expect to receive the Post-Conversion Materials. This date is determined by the projected depletion of inventory at the time of the PCN publication. The depletion of inventory may be impacted by fluctuating supply and demand, therefore, although customers should be prepared to receive the Post-Converted Materials on this date, Intel will continue to ship and customers may continue to receive the pre-converted materials until the inventory has been depleted.*

## Description of Change to the Customer:

<b>Affected Product Code</b>	<b>Former Product Code</b>	<b>Product Description</b>
12200MM01	12200-MM01	Intel® True Scale Fabric Edge Switch Management Module 12200MM01

## Overview of Changes


The 12200MM01 was revised to change the product brand from QLogic to Intel. This brand change affects the product label, documentation and firmware.

\* Other names and brands may be claimed as the property of others.

# Product Documentation Change Details:

The QLogic-branded Quick Start Guide has been replaced by an Intel-branded Read Me First Document

## From QLogic Quick Start Guide:




**QLogic Service Initiation**

Visit the QLogic website at [www.qlogic.com](http://www.qlogic.com) to obtain the service initiation form. The form is available in English and Chinese. To obtain the form, click on the "Service Initiation" link in the top navigation bar. The form is available in English and Chinese. To obtain the form, click on the "Service Initiation" link in the top navigation bar.

**Obtaining Software and Documentation**

Click on the "Software and Documentation" link in the top navigation bar. This will take you to the software and documentation page. From this page, you can download the software and documentation for your QLogic 12000 Series switch.




**QLogic 12000 Quick Start Guide**

This guide provides the quick start instructions for the QLogic 12000 Series switch. It covers the installation, configuration, and operation of the switch. The guide is available in English and Chinese.

**Switch-Based QLogic Fabric Manager License Key**

Click on the "Switch-Based QLogic Fabric Manager License Key" link in the top navigation bar. This will take you to the license key page. From this page, you can obtain the license key for your QLogic 12000 Series switch.



**Class B/EIS Electronic Information**

This document contains the Class B/EIS Electronic Information for the QLogic 12000 Series switch. It includes the product name, model number, and other identifying information.


Item Name	Class B/EIS	EIS
Product Name	QLogic 12000 Series	QLogic 12000 Series
Model Number	QLogic 12000 Series	QLogic 12000 Series
Manufacturer	QLogic Corporation	QLogic Corporation
Country of Origin	USA	USA
Material	Plastic, Metal	Plastic, Metal
Weight	1.5 kg	1.5 kg
Dimensions	100 mm x 100 mm x 100 mm	100 mm x 100 mm x 100 mm
Power Consumption	100 W	100 W
Operating Temperature	0°C to 40°C	0°C to 40°C
Storage Temperature	-40°C to 70°C	-40°C to 70°C
Humidity	5% to 95%	5% to 95%
Vibration	0.5 g	0.5 g
Shock	10 g	10 g
Drop	1 m	1 m
Impact	10 J	10 J
Electrostatic Discharge	8 kV	8 kV
Radio Frequency Interference	Class B	Class B
Electromagnetic Interference	Class B	Class B
Flammable	Class B	Class B
Corrosive	Class B	Class B
Toxic	Class B	Class B
Explosive	Class B	Class B
Other	Class B	Class B

**Table 1: Class B/EIS Product**

Item Name	Class B	EIS
Product Name	QLogic 12000 Series	QLogic 12000 Series
Model Number	QLogic 12000 Series	QLogic 12000 Series
Manufacturer	QLogic Corporation	QLogic Corporation
Country of Origin	USA	USA
Material	Plastic, Metal	Plastic, Metal
Weight	1.5 kg	1.5 kg
Dimensions	100 mm x 100 mm x 100 mm	100 mm x 100 mm x 100 mm
Power Consumption	100 W	100 W
Operating Temperature	0°C to 40°C	0°C to 40°C
Storage Temperature	-40°C to 70°C	-40°C to 70°C
Humidity	5% to 95%	5% to 95%
Vibration	0.5 g	0.5 g
Shock	10 g	10 g
Drop	1 m	1 m
Impact	10 J	10 J
Electrostatic Discharge	8 kV	8 kV
Radio Frequency Interference	Class B	Class B
Electromagnetic Interference	Class B	Class B
Flammable	Class B	Class B
Corrosive	Class B	Class B
Toxic	Class B	Class B
Explosive	Class B	Class B
Other	Class B	Class B

# To

## Intel Read Me First Document



### Product Firmware Change Details:

The management module firmware has been updated from version 7.1.0.0.58 to version 7.2.1.1.16. The firmware changes are documented in the Release Notes, TrueScale12200Switch\_RelNotes\_721116\_H23771-02.pdf, which can be downloaded from <http://downloadcenter.intel.com>.

### Customer Impact of Change and Recommended Action:

The branding-related changes to overlays, labels and documentation outlined above have no impact to product fit or function. Minor impacts to form are visible as branding and labeling changes. The firmware changes affect branding and function.

There are no changes to Intel MM numbers.

Please contact your local Intel Field Sales Representative if you have any further questions about this change.

Milestone dates are estimates and subject to change based on business and operational conditions.

### Products Affected / Intel Ordering Codes:

Product Code	MM#	Pre Change MM Version	Post Change MM Version	Pre Change Top Assembly (TA)	Post Change Top Assembly (TA)
12200MM01	924723	2	3	12200-MM01 Rev D	12200-MM01 Rev E

**PCN Revision History:**

**Date of Revision:**

March 18, 2014

**Revision Number:**

00

**Reason:**

Originally Published PCN